Application for authorisation to place on the market MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON87419 maize and its sub-combinations independently of their origin in the European Union, according to Regulation (EC) No 1829/2003 on genetically modified food and feed

EFSA-GMO-NL-2018-XXX/ EFSA-Q-2018-XXXXX

Part VII

Summary of Application

1. GENERAL INFORMATION

1.1. Details of application

(a) Member State of application

The Netherlands

(b) Application number

Not available at the time of submission

(c) Name of the product (commercial and any other names)

The Monsanto development code for this genetically modified (GM) maize is MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419. Currently, no commercial name has been attributed to this product.

(d) Date of acknowledgement of valid application

Not available at the time of submission.

1.2. Applicant

(a) Name of applicant

Monsanto Company, represented by Bayer Agriculture BVBA

(b) Address of applicant

Bayer Agriculture BVBA Haven 627 Scheldelaan 460 B-2040 Antwerp BELGIUM Monsanto Company 800 N. Lindbergh Boulevard St. Louis, Missouri 63167 USA

(c) Name and address of the representative of the applicant established in the Union (if the applicant is not established in the Union)

See above.

1.3. Scope of the application

- (a) Genetically modified food
 - \square Food containing or consisting of genetically modified plants
 - ☑ Food produced from genetically modified plants or containing ingredients produced from genetically modified plants

(b) Genetically modified feed

- \blacksquare Feed containing or consisting of genetically modified plants
- Feed produced from genetically modified plants

(c) Genetically modified plants for food or feed uses

- ☑ Products other than food and feed containing of consisting of genetically modified plants with the exception of cultivation
- □ Seeds and plant propagating material for cultivation in the Union

The scope of this application covers the import, processing and all uses of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin, as any other maize but excludes cultivation.

Maize is a segregating crop; therefore, maize grain is the product of genetic segregation of the seed from which it is produced. Consequently, MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 grain includes the combined event product and any combination of these events (sub-combinations).

The safety of these sub-combinations is evaluated within the assessment of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 in this application and the conclusions derived for MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 are then equally applicable to all sub-combinations of singles constituting MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87429.

1.4. Is the product or the uses of the associated plant protection product(s) already authorised or subject to another authorisation procedure within the Union?

- No 🗹
- Yes \Box (in that case, specify)

1.5. Has the genetically modified plant been notified under Part B of Directive 2001/18/EC?

- Yes 🛛
- No ☑ (in that case, provide risk analysis data on the basis of the elements of Part B of Directive 2001/18/EC)

The risk assessment presented in this application includes data collected from field trials conducted at multiple United States (US) locations covering a range of environmental conditions. A summary of the conclusions of the risk analysis that demonstrate the safety of MON $87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419$ and its subcombinations independently of their origin to humans, animals and the environment, has been presented in the respective sections throughout this summary.

1.6. Has the genetically modified plant or derived products been previously notified for marketing in the Union under Part C of Directive 2001/18/EC?

No 🗹

Yes \Box (in that case, specify)

1.7. Has the product been subject to an application and/or authorised in a third country either previously or simultaneously to this application?

- No 🛛
- Yes \square in that case, specify the third country, the date of application and, where available, a copy of the risk assessment conclusions, the date of the authorisation and the scope of the application

MON $87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419$ has been authorised for cultivation in the US and for food and feed uses in Canada. Additionally, regulatory submissions have been made to Argentina, Japan, and Uruguay and reviews are currently in progress.

Regulatory submissions will also be made to countries that import significant quantities of maize or food and feed products derived from maize and have functional regulatory review processes in place. Also, as appropriate, notifications will be made to countries that import significant quantities of maize and maize products and do not have a formal regulatory review process for biotechnology derived crops.

1.8. General description of the product

(a) Name of the recipient or parental plant and the intended function of the genetic modification

MON $87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419$ is produced by crossing maize plants containing MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419 using traditional breeding methods.

Like MON 87427, MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 produces the CP4 EPSPS protein, derived from *Agrobacterium sp.*, strain CP4, in vegetative and female reproductive tissues and little to no CP4 EPSPS protein in pollen, thereby providing maize lines with tissue-selective glyphosate¹ tolerance to facilitate the production of viable hybrid maize seed.

Like MON 89034, MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 produces the CrylA.105 and Cry2Ab2 proteins derived from *Bacillus thuringiensis*. These proteins provide protection against certain lepidopteran insect pests.

Like MON 810, MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 produces the Cry1Ab protein derived from *Bacillus thuringiensis*. This protein provides protection against certain lepidopteran insect pests.

Like MIR162, MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 produces the Vip3Aa20 protein, derived from *Bacillus thuringiensis*, which provides protection against certain lepidopteran insect pests; and a PMI protein, derived from *E. coli*, which acts as a selectable marker.

Like MON 87411, MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 produces the Cry3Bb1 protein, derived from *Bacillus thuringiensis*, which provides protection against certain coleopteran insect pests; the CP4 EPSPS protein, derived from *Agrobacterium sp.*, strain CP4, which provides tolerance to glyphosate¹; and the DvSnf7 dsRNA, derived from a suppression cassette consisting of a fragment of the *snf* 7 gene of western corn rootworm (WCR), which provides protection against certain coleopteran insect pests.

Like MON 87419, MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 produces the DMO protein, derived from *Stenotrophomonas maltophilia* and the PAT protein, derived from *Streptomyces viridochromogenes* which provide tolerance to dicamba² and glufosinate³ herbicides, respectively.

¹ Active ingredient in the Roundup[®] family of agricultural herbicides. Roundup[®] is a registered trademark of Monsanto Technology LLC.

² Active ingredient in Xtendimax[®] with VaporGrip[®] Technology. Xtendimax[®] and VaporGrip[®] are registered trademarks of Monsanto Technology LLC.

³ Active ingredient in Liberty[®] family of agricultural herbicides. Liberty[®] is a registered trademark of Bayer CropScience.

(b) Types of products planned to be placed on the market according to the authorisation applied for and any specific form in which the product must not be placed on the market (such as seeds, cut-flowers, vegetative parts) as a proposed condition of the authorisation applied for

The scope of the current application is for authorisation of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin in the European Union (EU) for all uses according to Art 3 (1) and 15 (1) of Regulation (EC) No 1829/2003, with the exception of cultivation. The range of uses will be identical to the full range of equivalent uses of conventional maize.

(c) Intended use of the product and types of users

MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its subcombinations independently of their origin will be used and traded in the EU in the same manner as current commercial maize and by the same operators currently involved in the trade and use of maize.

(d) Any specific instructions and recommendations for use, storage and handling, including mandatory restrictions proposed as a condition of the authorisation applied for

MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its subcombinations are not different from conventional maize, except for the introduced traits (herbicide tolerance and/or insect protection). MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations were shown to be as safe as conventional maize. Therefore, MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin and derived products will be stored, packaged, transported, handeled and used in the same manner as curent commercial maize. No specific instructions and/or recommendations are considered necessary for the placing on the market of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations for import, processing and all uses in the EU, as specified in Section 1.8.(b) of this document.

(e) If applicable, geographical areas within the Union to which the product is intended to be confined under the terms of the authorisation applied for

MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its subcombinations are suitable for use throughout the EU as any other maize. The scope of this application covers the import, processing and all uses of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin, as any other maize but excludes cultivation.

(f) Any type of environment to which the product is unsuited

MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its subcombinations are suitable for use throughout the EU as any other maize. The scope of this application covers the import, processing and all uses of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin, as any other maize but excludes cultivation.

(g) Any proposed packaging requirements

MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its subcombinations and derived products will be used in the same manner as other maize and no specific packaging is required.

(h) Any proposed labelling requirements in addition to those required by other applicable EU legislation than Regulation (EC) No 1829/2003 and when necessary a proposal for specific labelling in accordance with Article 13(2) and (3), Article 25(2)(c) and (d) and Article 25(3) of Regulation (EC) No 1829/2003. In the case of products other than food and feed containing or consisting of genetically modified plants, a proposal for labelling has which complies with the requirements of point A(8) of Annex IV to Directive 2001/18/EC must be included.

In accordance with Regulations (EC) No 1829/2003 and 1830/2003, a labelling threshold of 0.9 % is applied for the placing on the market of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin and derived products.

Operators shall be required to label products containing or consisting of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and/or its subcombinations with the words "genetically modified maize" or "contains genetically modified maize" and shall be required to declare the unique identifier in the list of GMOs that have been used to constitute the mixture that contains or consists of any of these GMOs.

Operators shall be required to label foods and feeds derived from MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and/or its sub-combinations with the words "produced from genetically modified maize". In the case of products for which no list of ingredients exists, operators shall ensure that an indication that the food or feed product is produced from GMOs is transmitted in writing to the operator receiving the products.

Operators handling or using MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and/or its sub-combinations and derived foods and feeds in the EU shall be required to be aware of the legal obligations regarding traceability and labelling of these products. Given that explicit requirements for the traceability and labelling of GMOs and derived foods and feeds are laid down in Regulations (EC) No 1829/2003 and 1830/2003 and that authorised foods and feeds shall be entered in the EU Register for genetically modified food and feed, operators in the food/feed chain will be fully aware of the traceability and labelling requirements for MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations. Therefore, no further specific measures are to be taken by the applicant.

(i) Estimated potential demand

(i) In the EU

There are no anticipated changes to the demand as a result of the introduction of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin into the maize supply. It is anticipated that the introduction of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations will replace some of the maize in exising food and feed products.

(ii) In EU export markets

There are no anticipated changes to the extent of maize production in exports markets as a result of the introduction of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin. It is anticipated that the introduction of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations will replace some of the maize grain products.

(j) Unique identifier in accordance with Regulation (EC) No 65/2004

The OECD unique identifiers⁴ for MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations are:

```
MON-87427-7 × MON-89Ø34-3 × MON-ØØ81Ø-6 × SYN-IR162-4 × MON 87411-9 × MON-87419-8
MON-87427-7 × MON-89Ø34-3 × MON-ØØ81Ø-6 × SYN-IR162-4 × MON 87411-9
MON-87427-7 × MON-89Ø34-3 × MON-ØØ81Ø-6 × SYN-IR162-4 × MON-87419-8
MON-87427-7 × MON-89Ø34-3 × MON-ØØ81Ø-6 × MON 87411-9 × MON-87419-8
MON-87427-7 × MON-89Ø34-3 × SYN-IR162-4 × MON 87411-9 × MON-87419-8
MON-87427-7 × MON-ØØ81Ø-6 × SYN-IR162-4 × MON 87411-9 × MON-87419-8
MON-89Ø34-3 × MON-ØØ81Ø-6 × SYN-IR162-4 × MON 87411-9 × MON-87419-8
MON-87427-7 × MON-89Ø34-3 × MON-ØØ81Ø-6 × SYN-IR162-4
MON-87427-7 × MON-89Ø34-3 × MON-ØØ81Ø-6 × MON 87411-9
MON-87427-7 × MON-89Ø34-3 × MON-ØØ81Ø-6 × MON-87419-8
MON-87427-7 × MON-89Ø34-3 × SYN-IR162-4 × MON 87411-9
MON-87427-7 \times MON-89\emptyset{34-3} \times SYN-IR162-4 \times MON-87419-8
MON-87427-7 × MON-89Ø34-3 × MON 87411-9 × MON-87419-8
MON-87427-7 × MON-ØØ81Ø-6 × SYN-IR162-4 × MON 87411-9
MON-87427-7 \times MON- \not O \not O 81 \not O - 6 \times SYN-IR162-4 \times MON-87419-8
MON-87427-7 × MON-ØØ81Ø-6 × MON 87411-9 × MON-87419-8
MON-87427-7 × SYN-IR162-4 × MON 87411-9 × MON-87419-8
MON-89Ø34-3 × MON-ØØ81Ø-6 × SYN-IR162-4 × MON 87411-9
MON-89Ø34-3 × MON-ØØ81Ø-6 × SYN-IR162-4 × MON-87419-8
MON-89Ø34-3 × MON-ØØ81Ø-6 × MON 87411-9 × MON-87419-8
MON-89Ø34-3 × SYN-IR162-4 × MON 87411-9 × MON-87419-8
MON-ØØ81Ø-6 × SYN-IR162-4 × MON 87411-9 × MON-87419-8
MON-87427-7 × MON-89Ø34-3 × MON-ØØ81Ø-6
MON-87427-7 × MON-89Ø34-3 × SYN-IR162-4
MON-87427-7 × MON-89Ø34-3 × MON 87411-9
MON-87427-7 × MON-89Ø34-3 × MON-87419-8
MON-87427-7 × MON-ØØ81Ø-6 × SYN-IR162-4
MON-87427-7 × MON-ØØ81Ø-6 × MON 87411-9
MON-87427-7 × MON-ØØ81Ø-6 × MON-87419-8
MON-87427-7 × SYN-IR162-4 × MON 87411-9
MON-87427-7 × SYN-IR162-4 × MON-87419-8
MON-87427-7 × MON 87411-9 × MON-87419-8
MON-89Ø34-3 × MON-ØØ81Ø-6 × SYN-IR162-4
MON-89Ø34-3 × MON-ØØ81Ø-6 × MON 87411-9
MON-89Ø34-3 × MON-ØØ81Ø-6 × MON-87419-8
MON-89Ø34-3 × SYN-IR162-4 × MON 87411-9
MON-89Ø34-3 × SYN-IR162-4 × MON-87419-8
```

⁴ List of the Unique Identifiers for the GMO's contained in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419, excluding the single events, for which EFSA overall opinions have already been issued and in the case of MON 87419 for which EFSA's review is underway, and upon which the risk assessment of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations is based.

```
MON-89Ø34-3 × MON 87411-9 × MON-87419-8
MON-ØØ81Ø-6 × SYN-IR162-4 × MON 87411-9
MON-\emptyset\emptyset81\emptyset-6 × SYN-IR162-4 × MON-87419-8
MON-ØØ81Ø-6 × MON 87411-9 × MON-87419-8
SYN-IR162-4 × MON 87411-9 × MON-87419-8
MON-87427-7 × MON-89Ø34-3
MON-87427-7 × MON-ØØ81Ø-6
MON-87427-7 × SYN-IR162-4
MON-87427-7 × MON 87411-9
MON-87427-7 × MON-87419-8
MON-89Ø34-3 \times MON-ØØ81Ø-6
MON-89Ø34-3 × SYN-IR162-4
MON-89Ø34-3 × MON 87411-9
MON-89Ø34-3 × MON-87419-8
MON-\emptyset\emptyset81\emptyset-6 × SYN-IR162-4
MON-ØØ81Ø-6 × MON 87411-9
MON-ØØ81Ø-6 × MON-87419-8
SYN-IR162-4 × MON 87411-9
SYN-IR162-4 × MON-87419-8
MON 87411-9 × MON-87419-8
```

1.9. Measures suggested by the applicant to take in the case of unintended release or misuse of the product as well as measures for disposal and treatment

Because this application is for consent to import, process and all uses of MON 87427 \times MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin as any other maize, but excludes the cultivation in the EU, the only potential means of environmental release would be more likely to occur during import, MON 87419 and/or its sub-combinations. However, modern methods of grain handling minimize losses of grain, so there is little chance of germination of spilt grain resulting in the development of mature plants of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON $87411 \times MON 87419$ and/or its sub-combinations in the EU. Moreover, in the event of incidental spillage, the establishment of volunteer plants would be unlikely, since maize cannot survive without human assistance and is not capable of surviving as a weed. Although maize seed can over-winter in mild conditions and can germinate the following year, the appearance of maize in rotational fields is rare under European conditions. Maize volunteers, if they occur, are usualy killed by frost or could be easily controlled by the use of selective herbicides (other than glyphosate- dicamba- and glufosinate-based herbicides) or by mechanical means. Moreover, the information presented in this application established that MON 87427 \times MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations are not different in composition, nutritional and agronomic characteristics relative to the conventional counterpart, except for the herbicide tolerance and/or insect protection, and that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its subcombinations are unlikely to pose any threat to the EU environment or to require special measures for its containment. Therefore, no special measures are considered to be required in case of misuse or unintended release, and no specific conditions are warranted or required for the placing on the market of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times

MON 87411 \times MON 87419 and its sub-combinations independently of their origin for import, processing and all uses as specified in Section 1.8.(b).

2. INFORMATION RELATING TO THE RECIPIENT OR (WHERE APPROPRIATE) PARENTAL PLANTS

2.1. Maize name

- (a) Family name Gramineae
- (b) Genus Zea
- (c) Species mays (2n = 20)
- (d) Subspecies Not applicable
- Cultivar, breeding line
 MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419

 Common name
 Maize / Corn

2.2. Geographical distribution and cultivation of the plant, including the distribution within the Union

Maize is widely grown in the EU and represents a significant portion of global maize production. Significant areas of maize production in Europe include the Danube Basin from southwest Germany to the Black Sea along with southern France through the Po Valley of northern Italy.

2.3. Information concerning reproduction (for environmental safety aspects)

(a) Mode(s) of reproduction

Maize is wind-pollinated, and the distances that viable pollen can travel depend on prevailing wind patterns, humidity, and temperature. Pollen is shed from the tassel and is viable for approximately 20 minutes to 24 hours depending on environmental conditions. maize plants shed pollen for up to 14 days.

(b) Specific factors affecting reproduction

Maize, as a thoroughly domesticated plant, has lost all ability to disseminate its seeds and relies entirely on the aid of man for its distribution.

(c) Generation time

As maize is a short-day plant, time to maturity is strongly influenced by photoperiod. Maize is an annual crop with cultural cycle ranging from as short as 60 to 70 days to as long as 43 to 48 weeks from grainling emergence to maturity.

2.4. Sexual compatibility with other cultivated or wild plant species (for environmental safety aspects)

Potential for cross-pollination with cultivated maize varieties

Maize morphology fosters cross-pollination; therefore, high levels of pollen mediated gene flow can occur in this species. Researchers recognize that (1) the amount of gene flow that occurs can be high because of open pollination; (2) the percent gene flow will vary by population, hybrid or inbred; (3) the level of gene flow decreases with greater distance between the source and recipient plants; (4) environmental factors affect the level of gene flow; (5) maize pollen is viable for a short period of time under field conditions; (6) maize produces

ample pollen over an extended period of time; and, (7) maize is wind-pollinated; pollinating insects, especially bees, are occasional visitors to the tassels but rarely visit silks of maize.

Potential for cross-pollination with wild species

Maize and annual teosinte (*Zea mays* subsp. *mexicana*), are genetically compatible, windpollinated and hybridize when in close proximity to each other *e.g.*, in areas of Mexico and Guatemala. Outside its centre of origin, like the EU, teosinte cannot be regarded as a native wild relative of maize as its presence in Europe is currently limited to agricultural fields where it causes a weed management problem. There are no compatible wild relatives of maize in Europe. In addition, hybridization between maize and teosinte is very unlikely due to a variety of physical factors. If intraspecific hybridization were to happen, literature has demonstrated the process to be asymmetric, favoring teosinte cross-pollinating maize. The lack of relevance of the occurrence of teosinte in maize fields in the EU for the risk assessment of cultivation of several GM maize events has been confirmed by the EFSA (EFSA, 2016).

It is with extreme difficulty and special techniques that maize and the closely related perennial species, *Tripsacum* (gamma grass) hybridize. Furthermore, the offspring of the cross show varying levels of sterility and are genetically unstable. No evidence was observed of gene flow from transgenic maize to eastern gamagrass in nature even though the two species have grown in close proximity for years and have had ample opportunities for outcrossing. Consequently, the possibility of gene transfer between cultivated maize and wild species of *Tripsacum* does not exist.

2.5. Survivability (for environmental safety aspects)

(a) Ability to form structures for survival or dormancy

Although grown extensively throughout the world, maize is not considered a persistent weed or a plant that is difficult to control. Maize, as we know it today, cannot survive in the wild because the female inflorescence (the ear) is covered by a husk thereby restricting seed dispersal. The transformation from a wild, weedy species to one dependent on humans for its survival most likely evolved over a long period of time through plant breeding by the indigenous inhabitants of the Western Hemisphere.

(b) Specific factors affecting survivability

See Section 2.5.(a).

2.6. Dissemination (for environmental safety aspects)

(a) Ways and extent of dissemination

Maize is not listed as a weed in the major weed references. In addition, maize has been grown throughout the world without any report that it is a serious weed. Modern maize does not survive as a weed because of past selection in the development of maize. During domestication of maize, traits often associated with weediness have been eliminated such as seed dormancy, a dispersal mechanism, and the ability to establish fertile populations outside of cultivation.

(b) Specific factors affecting dissemination

See Section 2.6.(a).

2.7. Geographical distribution within the Union of the sexually compatible species (for environmental safety aspects)

There are no sexually compatible wild relatives of maize present in the EU.

2.8. In the case of plant species not normally grown in the Union description of the natural habitat of the plant, including information on natural predators, parasites, competitors and symbionts (for environmental safety aspects)

Not applicable, as maize is grown in Europe.

2.9. Other potential interactions, relevant to the genetically modified plant, of the plant with organisms in the ecosystem where it is usually grown, or used elsewhere, including information on toxic effects on humans, animals and other organisms (for environmental safety aspects)

There are no known toxic effects of the maize plant to humans, animals or other organisms; it has a history of safe use for human food and animal feed. maize has been a staple of the human diet for centuries, and its processed fractions are consumed in a multitude of food and animal feed products. A thorough description of the anti-nutrients present in maize has been presented in an OECD consensus document.

3. MOLECULAR CHARACTERISATION

3.1. Information relating to the genetic modification

(a) Description of the methods used for the genetic modification

Not applicable, since MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 is produced by crossing maize plants containing MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419 using traditional breeding methods. F₁ seed thereby inherits the traits from MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419.

(b) Nature and source of the vector used

See Section 3.1.(a).

(c) Source of donor nucleic acid(s) used for transformation, size and intended function of each constituent fragment of the region intended for insertion

See Section 3.1.(a).

3.2. Information relating to the genetically modified plant

- 3.2.1. Description of the trait(s) and characteristics which have been introduced or modified MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 is produced by crossing maize plants containing MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419 using traditional breeding methods and expresses:
 - the CP4 EPSPS, DMO and PAT proteins which impart tolerance to glyphosate, dicamba and glufosinate, respectively;
 - the Cry1A.105, Cry2Ab2, Cry1Ab and Vip3Aa20 proteins which provide protection against certain lepidopteran insect pests;
 - the PMI protein, which acts as a selectable marker;
 - the Cry3Bb1 protein and the DvSnf7 dsRNA which provide protection against certain coleopteran insect pests.

3.2.2. Information on the nucleic acid(s) sequences actually inserted or deleted

(a) The copy number of all detectable inserts, both complete and partial

The genome of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 contains six different inserts, one inherited from each parental line. The sequence analyses on parental lines indicate that each of these contain a single copy of the T-DNA of interest at a single insertion site. The presence of these inserts in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 was confirmed through sequence analysis.

(b) In case of deletion(s), size and function of the deleted region(s)

See Section 3.1.(a). The inserts present in MON $87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419$ correspond to those of the parental lines, the characteristics of the insertions and the 5' and 3' flanking sequences should be conserved in this product.

(c) Sub-cellular location(s) of insert(s) (nucleus, chloroplasts, mitochondria, or maintained in a non-integrated form) and methods for its/their determination

The results from the sequence analysis confirmed the presence of the sequences inherited from MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419 and that no detectable rearrangements of these inserts occurred in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419.

(d) The organisation of the inserted genetic material at the insertion site

Since the inserts present in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 correspond to those of the parental lines, the characteristics of the insertions and the 5' and 3' flanking sequences should be conserved in this product.

(e) In case of modifications other than insertion or deletion, describe function of the modified genetic material before and after the modification, as well as direct changes in expression of genes as a result of the modification

Not applicable.

3.2.3. Information on the expression of the insert

(a) Information on developmental expression of the insert during the life cycle of the plant

CP4 EPSPS, Cry1A.105, Cry2Ab2, Cry1Ab, Vip3Aa20, PMI, Cry3Bb1, PAT and DMO protein expression levels were determined by validated multiplexed immunoassay or enzyme-linked immunosorbent assay (ELISA) in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 tissues collected during the 2016 US growing season.

(b) Parts of the plant where the insert is expressed

In terms of food and feed safety, assessment of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 forage and grain are the most relevant tissues.

3.2.4. Genetic stability of the insert and phenotypic stability of the genetically modified plant

MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 is produced by crossing maize plants containing MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419 using traditional breeding methods. Thereby, each parental line passes on its inserted DNA sequence to the resulting MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419.

Sequence analyses demonstrate the presence of the inserted sequences of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419.

3.2.5. Information (for environmental safety aspects) on how the genetically modified plant differs from the recipient plant in:

(a) Mode(s) and/or rate of reproduction

Phenotypic and agronomic as well as environmental interaction data were collected from field trials conducted in 2016 in major US maize growing regions. In each of the assessments MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419, either treated or not with glyphosate, dicamba and glufosinate was compared to an appropriate conventional counterpart which has a genetic background similar to MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87419 but does not possess the *cp4 epsps, cry1A.105, cry2Ab2, cry1Ab, vip3aa20, pmi, cry3Bb1, dmo* and *pat* expression cassettes and the DvSnf7 suppression cassette. In addition, multiple commercial reference varieties were included to provide a range of comparative values that are representative of existing conventional reference varieties for each measured phenotypic, agronomic, and environmental interaction characteristic.

Results of this field study showed that there are no unexpected changes in the phenotype or ecological interactions indicative of increased pest or weed potential of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 compared to the conventional counterpart. These results concur with those obtained previously for MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419.

It is therefore possible to conclude that no differences in the mode or rate of reproduction, dissemination, survivability or other agronomic, phenotypic or environmental interaction characteristics are expected in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and that MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 shows no difference to the conventional counterpart in its phenotypic and agronomic behaviour, except for its herbicide tolerance and insect protection traits.

As maize is a segregating crop and MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 is produced using traditional breeding methods; the conclusions derived in this section are equally applicable to MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 as to any of its sub-combinations independently of their origin.

(b) Dissemination

See Section 3.2.5.(a).

(c) Survivability

See Section 3.2.5.(a).

(d) Other differences

See Section 3.2.5.(a).

3.2.6. Any change to the ability of the genetically modified plant to transfer genetic material to other organisms (for environmental safety aspects)

(a) Plant to bacteria gene transfer

None of the genetic elements in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 has a genetic transfer function. Therefore, no changes are expected in the ability of this maize to transfer genetic material to bacteria.

(b) Plant to plant gene transfer

Not applicable, the scope of the current application does not include the cultivation of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its subcombinations in the EU.

4. COMPARATIVE ANALYSIS

4.1. Choice of the conventional counterpart and additional comparators

MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 was compared to a conventional counterpart with similar genetic background, as well as with other commercially available maize.

4.2. Experimental design and statistical analysis of data from field trials for comparative analysis

Field trials for comparative analysis were conducted in several field sites in major growing areas of the US during 2016 field season. Additionally, commercial reference hybrids were included at each field sites to provide reference substances representative for their respective growing regions. Field sites were representative of commercial maize growing areas and were distributed to reflect a variety of agronomic practices, soils and climatic factors. Difference and equivalence tests were conducted using statistical models provided in EFSA guidance and according to the 2010 EFSA Scientific Opinion on Statistical considerations for the safety evaluation of GMOs (EFSA, 2010b, 2011a).

4.3. Selection of material and compounds for analysis

The key nutrients and other nutritionally important components that were selected for analysis in the compositional studies were chosen on the basis of internationally accepted guidance provided by the OECD on compositional considerations for new varieties of maize (OECD, 2002).

Certain characteristics together with environmental interactions were studied to assess for a potential indicator of phenotypic changes.

4.4. Comparative analysis of composition

The compositional assessment MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 compared to conventional maize demonstrated that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 is compositionally similar to conventional maize and that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87410 \times MIR162 \times MON 87411 \times MON 87419 is compositional variability in maize.

As maize is a segregating crop and MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 is produced using traditional breeding methods; the conclusions derived in this section are equally applicable to MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 as to any of its sub-combinations independently of their origin.

4.5. Comparative analysis of agronomic and phenotypic characteristics

The assessment of the phenotypic, agronomic and environmental interactions of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 compared to conventional maize demonstrated that there are no unexpected changes in the phenotype or ecological interactions indicative of increased plant weed or pest potential of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 compared to conventional maize.

As maize is a segregating crop and MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 is produced using traditional breeding methods; the conclusions derived in this section are equally applicable to MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 as to any of its sub-combinations independently of their origin.

4.6. Effect of processing

MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 has been shown not to be different from conventional maize, except for its herbicide tolerance and insect protection traits. The processing of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations is therefore not expected to be any different from that of conventional maize.

5. TOXICOLOGY

(a) Toxicological testing of newly expressed proteins

The *cp4 epsps, cry1A.105, cry2Ab2, cry1Ab, vip3Aa20, pmi, cry3Bb1, dmo* and *pat* genes are the only genes expressing novel proteins in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419. With respect to the DvSnf7 suppression cassette, it does not code for any protein. Therefore, the safety assessment of the newly expressed proteins is focused on the CP4 EPSPS, Cry1A.105, Cry1Ab, Cry2Ab2, Vip3Aa20, PMI, Cry3Bb1, DMO and PAT proteins expressed in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419. The lack of the toxic potential of these newly expressed proteins can be found in the applications for MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419, respectively.

(b) Testing of new constituents other than proteins

The components analysed in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 were compositionally similar compared to conventional maize. Therefore, no testing of any constituent other than the introduced proteins is required.

(c) Information on natural food or feed constituents

No relevant changes in the composition of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 were detected compared to conventional maize. Therefore, the levels of food and feed constituents in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 have not been altered.

(d) Testing of the whole genetically modified food and feed

The safety assessment demonstrates that MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin are as safe as conventional maize for food and feed use through the compositional assessment of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 harvested forage and grain to harvested forage and grain from conventional maize. The safety for humans and animals of the CP4 EPSPS, Cry1A.105, Cry2Ab2, Cry1Ab, Vip3Aa20, PMI, Cry3Bb1, DMO and PAT proteins and DvSnf7 RNA has been demonstrated on the basis of extensive characterisation, history of safe use, lack of structural similarities with known protein toxins and allergens, absence of acute toxicity in oral gavage studies in rodents and rapid digestion in simulated digestive fluids. Moreover, the history of safe use of the introduced proteins and the familiarity of the host organisms from which the genes are derived have been demonstrated.

Based on this weight of evidence, no more data are required to demonstrate that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin are as as safe as conventional maize from a food and feed perspective and therefore it can be concluded that there was no evidence of any adverse effects on human or animal health.

6. ALLERGENICITY

(a) Assessment of allergenicity of the newly expressed protein

The *cp4 epsps, cry1A.105, cry2Ab2, cry1Ab, vip3Aa20, pmi, cry3Bb1, dmo* and *pat* genes are the only genes expressing novel proteins in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419. With respect to the DvSnf7 suppression cassette, it does not code for any protein. Therefore, the safety assessment of the newly expressed proteins is focused on the CP4 EPSPS, Cry1A.105, Cry2Ab2, Cry1Ab, Vip3Aa20, PMI, Cry3Bb1, DMO and PAT proteins expressed in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419. The lack of the allergenic potential of these newly expressed proteins can be found in the applications for MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419, respectively.

(b) Assessment of allergenicity of the whole genetically modified plant

The assessment of a potential allergenicity of each of the parental lines against a conventional maize has been previously performed. Results of these assessments support the conclusion that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 is comparable to conventional maize in terms of allergenicity potential.

As the CP4 EPSPS, Cry1A.105, Cry2Ab2, Cry1Ab, Vip3Aa20, PMI, Cry3Bb1, DMO and PAT proteins expressed in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 are not allergenic and as there are no new genetic modifications in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419, there are no reasons to believe that the expression of these proteins in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87419 and its sub-combinations would alter its endogenous allergen content compared to commercial maize.

7. NUTRITIONAL ASSESSMENT

(a) Nutritional assessment of the genetically modified food

Detailed compositional and nutritional comparisons of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419, a conventional counterpart and commercially available reference maize hybrids confirmed that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations are compositionally not different from conventional maize.

(b) Nutritional assessment of the genetically modified feed

See Section 7 (a).

8. EXPOSURE ASSESSMENT – ANTICIPATED INTAKE/EXTENT OF USE

The exposure assessment in humans and animals indicates that there is minimal dietary exposure to CP4 EPSPS, Cry1A.105, Cry2Ab2, Cry1Ab, Vip3Aa20, PMI, Cry3Bb1, DMO and PAT proteins from consumption of foods and feed derived from MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419. There are no anticipated changes in the intake and/or extent of use of maize or derived products for use as or in food or feed as a result of the addition of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its subcombinations independently of their origin to the maize supply. MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its subcombinations independently of their origin are expected to replace a portion of current maize such that the intake or use will represent some fraction of the total products derived from maize.

9. **RISK CHARACTERISATION**

Based on the information provided in this application, it can be concluded that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin are as safe as conventional maize.

The molecular characterisation of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 × MON 87419 did not raise any safety concern and did not show any evidence of unintended changes in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419. Detailed compositional comparisons of MON 87427 imes MON 89034 imes MON 810 imesMIR162 \times MON 87411 \times MON 87419, its conventional counterpart and commercial reference varieties demonstrated that MON $87427 \times$ MON $89034 \times$ MON $810 \times$ MIR162 \times MON $87411 \times$ MON 87419 is compositionally similar to the conventional counterpart and that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 is not a contributor to compositional variability in maize. The assessed phenotypic and agronomic characteristics of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 were within the range expected for maize and did not show any phenotypic changes indicative of increased plant weed/pest potential of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 compared to conventional maize. An extensive characterisation of the CP4 EPSPS, Cry1A.105, Cry2Ab2, Cry1Ab, Vip3Aa20, PMI, Cry3Bb1, DMO and PAT proteins expressed in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and the long history of safe consumption of RNA molecules independent of their sequence confirmed that these proteins and RNA are safe for human and animal consumption. Additionally, the exposure assessment in humans and animals did not indicate any safety concerns.

In summary, there are no signs of adverse or unanticipated effects observed in a number of safety studies and the pre-market risk characterisation for food and feed use of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419. The consumption of food and feed derived from MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 is as safe as the consumption of its conventional counterpart. It can be concluded that the food derived from MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 is not nutritionally disadvantageous for the consumer compared to the food which is intended to replace. Finally, it can be also concluded that the feed derived from MON 87427 × MON 89034 × MON 87419 does not harm or mislead the consumer by impairing distinctive features of the animal products compared to conventionally produced feed.

Based on the above, it is unlikely that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 will have an adverse effect on human and animal health and the environment, in the context of its intended uses, which cover food and feed uses, import and processing as any other maize.

Given the weight of evidence supporting the safety of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 specific risk management measures for MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 in the EU are not considered necessary.

As maize is a segregating crop and MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 is produced using traditional breeding methods; the conclusions derived in this section are equally applicable to MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 as to any of its sub-combinations independently of their origin.

10. POST-MARKET MONITORING ON THE GENETICALLY MODIFIED FOOD OR FEED

As demonstrated in this application, there are no intrinsic hazards related to MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419. No data have emerged to indicate that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 are less safe than its conventional counterpart. The pre-market risk characterisation for food and feed use of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 demonstrates that the risks of consumption of MON 87427 \times MON 89034 \times MON 89034 \times MON 89034 \times MON 87411 \times MON 87419 demonstrates that the risks of consumption of MON 87427 \times MON 89034 \times MON 89034 \times MON 89034 \times MON 810 \times MIR162 \times MON 810 \times MIR162 \times MON 87419 demonstrates that the risks of consumption of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 810 \times MIR162 \times MON 810 \times MIR162 \times MON 87419 demonstrates that the risks of consumption of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 810 \times MIR162 \times MON 87419 and its sub-combinations independently of their origin or its derived products are no different from the risks associated with the consumption of conventional maize and maize-derived products. As a consequence, specific risk management measures are not indicated and post-market monitoring of the use of this maize for food and feed is not considered necessary.

11. Environmental assessment

11.1. Mechanism of interaction between the genetically modified plant and target organisms

According to the EFSA ERA Guidance, the primary focus for the assessment on target organisms is the development of resistance to the insect or pathogen tolerance traits expressed by the GM plant (EFSA, 2010a). The scope of this application covers the import, processing and all uses as any other maize, but excludes the cultivation of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin in the EU. Therefore, the likelihood is negligible that the import of MON 87427 × MON 89034 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations will result in plants of these maize being present in the environment, and the potential for interactions between MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations and their target organisms is, therefore, considered to be minimal if existing at all. As a consequence, an assessment of the potential resistance development in target organisms resulting from import, processing and all uses as any other maize, but excluding the cultivation of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87419 and its sub-combinations independently of their origin in the EU is not relevant for this submission.

11.2. Potential changes in the interactions of the genetically modified plant with the biotic environment resulting from the genetic modification

The scope of this application covers the import, processing and all uses as any other maize, but excludes the cultivation of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin in the EU. Therefore, no deliberate release of viable plant material in the EU environment is expected, and interactions of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations with the biotic environment will be limited.

As maize is a segregating crop and MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 is produced using traditional breeding methods; the conclusions derived in this section are equally applicable to MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 as to any of its sub-combinations independently of their origin.

(a) Persistence and invasiveness

Results from the assessment support the conclusion that the abilities of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations to persist in agricultural fields or invade non-agricultural habitats are comparable to those of conventional maize in the EU. Thus, MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations are not more likely to represent an agronomic problem in agricultural fields or become more invasive in natural habitats and no adverse effects on ecological functions within agricultural production fields or on biodiversity is expected as a result of the import, processing and all uses as any other maize.

(b) Selective advantage or disadvantage

Compared with conventional maize, the introduced herbicide tolerance and/or insect protection traits in MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations confer a selective advantage only under specific conditions (*i.e.* following treatment with glyphosate, dicamba and/or glufosinate and/or upon attack by the target lepidopteran or coleopteran insects), which are short in duration. These advantages are of purely agronomic interest and presents negligible risk to the non-agricultural environments, because of the poor survival characteristics of maize under most European conditions.

Therefore, the likelihood is negligible for the inherited traits in MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations to confer any meaningful competitive advantage or disadvantage of relevance to the environment.

(c) Potential for gene transfer

Given the low likelihood of occurrence of horizontal gene transfer and lack of adverse consequences if it were to occur, the import, processing, and food and feed use of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin in the EU is not likely to adversely impact human, animal, or environmental health, and poses negligible risk.

(d) Interactions between the genetically modified plant and target organisms

An assessment of the potential resistance development in target organisms resulting from the import, processing and all uses of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin as any other maize in the EU is not relevant for this application.

(e) Interactions of the genetically modified plant with non-target organisms

Given the low levels of environmental exposure combined with low hazard from exposure of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its subcombinations to non-target organisms (NTOs), the likelihood of adverse effects to NTO communities that perform in-field ecological functions and NTO communities outside of the field from import of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin, is negligible.

(f) Effects on human health

Given the low levels of environmental exposure combined with the negligible hazard occurring from the contact with grain MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations, the likelihood for any adverse effects on humans and animals handling MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations import and processing in the EU is negligible.

(g) Effects on animal health

See Section 11.2.(f).

(h) Effects on biogeochemical processes

Given the low level of environmental exposure combined with a lack of hazard, the import, processing and all uses of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin as any other maize in the EU is not likely to adversely impact soil micro-organisms that perform ecological functions infield or in non-agricultural habitats, and therefore poses negligible environmental risk.

(i) Impacts of the specific cultivation, management and harvesting techniques

Cultivation of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin in the EU is not included in the scope of this application. An assessment of the impacts of specific cultivation, management and harvesting techniques of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations is therefore not relevant for this application.

11.3. Potential interactions with the abiotic environment

MON $87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419$ and its subcombinations carry traits of agronomic interest: herbicide tolerance and insect protection. As MON $87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419$ and its subcombinations were shown not to be different from conventional maize (with the exception of the inherited traits, imparted by the expression of the CP4 EPSPS, Cry1A.105, Cry2Ab2, Cry1Ab, Vip3Aa20, PMI, Cry3Bb1, DMO and PAT proteins and DvSnf7 dsRNA), with respect to its composition and agronomic and phenotypic characteristics, there is no evidence that these maize would be any different from conventional maize with regard to its baseline interactions with the abiotic environment.

Although the CP4 EPSPS, Cry1A.105, Cry2Ab2, Cry1Ab, Vip3Aa20, PMI, Cry3Bb1, DMO and PAT proteins and DvSnf7 dsRNA are expressed in maize, they already have a safe history of use and they have no known negative interactions with the abiotic environment.

In addition, because this application is for import, processing and all uses as any other maize in the EU, but excludes cultivation, interactions of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations with the environment will be limited. Moreover, no negative impact of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations on the abiotic environment is expected to result from the import, processing and all uses as any other maize in the EU.

11.4. Risk characterisation

Results from the environmental risk assessment which takes into consideration the risk characterisation and includes results described above addressing risk hypotheses for the specific areas of assessment laid down in EFSA (2010a) guidance, support a conclusion that the import, processing and all uses in the EU (excluding cultivation) of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin, as any other maize, represents negligible risk to human and animal health and the environment, and poses no greater risk than the import and processing of conventional maize. Because no immediate adverse effects are expected, the probability of long-term adverse effects is also negligible. Based on the conclusions formulated for MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and maize being a segregant crop, there is no reason to expect that any sub-combination of the single events would represent a risk to human and animal health or the environment.

12. ENVIRONMENTAL MONITORING PLAN

(a) General (risk assessment, background information)

As required by Article 5(5)(b) and 17(5)(b) of Regulation (EC) No 1829/2003 the proposed Post-Market Environmental Monitoring (PMEM) plan for MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin has been developed according to the principles and objectives outlined in Annex VII of Directive 2001/18/EC and Decision 2002/811/EC establishing guidance notes supplementing Annex VII to Directive 2001/18/EC. The PMEM also takes into account the Scientific Opinion on guidance on the Post-Market Environmental Monitoring of genetically modified plants (EFSA, 2011b).

(b) Interplay between environmental risk assessment and monitoring

The scope of this application is the authorisation of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations independently of their origin for import, processing, food and feed use⁵ in the European Union (EU) under Regulation (EC) No 1829/2003. The scope of the application does not include authorisation for the cultivation of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations in the EU.

An environmental risk assessment (e.r.a.) was carried out for MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 according to the principles laid down in Annex II to Directive 2001/18/EC and Decision 2002/623/EC establishing guidance notes supplementing Annex II to Directive 2001/18/EC. The scientific evaluation of the characteristics of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times

⁵ Maize grain is the product of genetic segregation of the seed from which it is produced. Consequently MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 grain includes a mixture of the combined event product, any combination of these events and the single events.

MON 87419 in the e.r.a. (Section 5 of Part II – Scientific information) has shown that the risk for potential adverse effects on human and animal health or the environment is negligible in the context of the intended uses of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations.

(c) Case-specific genetically modified plant monitoring (approach, strategy, method and analysis)

The scientific evaluation of the characteristics of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 in the e.r.a. has shown that the risk for potential adverse effects on human and animal health or the environment is negligible in the context of the intended uses of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations. It is therefore considered that there is no need for case-specific monitoring.

(d) General surveillance of the impact of the genetically modified plant (approach, strategy, method and analysis)

Any potential adverse effects of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations on human health and the environment, which were not anticipated in the e.r.a., can be addressed under the general surveillance. General surveillance is largely based on routine observation and implies the collection, scientific evaluation and reporting of reliable scientific evidence, in order to be able to identify whether unanticipated, direct or indirect, immediate or delayed adverse effects have been caused by the placing on the market of a GM crop in its receiving environment.

In order to allow detection of the broadest possible scope of unanticipated adverse effects, general surveillance is performed by either selected, existing networks, or by specific company stewardship programmes, or by a combination of both. The consent holder will ensure that appropriate technical information on MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and its sub-combinations and relevant legislation will be available for the relevant networks, in addition to further relevant information from a number of sources, including industry and government websites, official registers and government publications.

Following the approval of these maize in the EU, the consent holder will approach key stakeholders and key networks of stakeholders of the products (including international grain traders, maize processors and users of maize grain for animal feed) and inform them that the products have been authorised. The consent holder will request key stakeholders and networks for their participation in the general surveillance of the placing on the market of this maize, in accordance with the provisions of Directive 2001/18/EC and the consent. Key stakeholders and networks will be requested to be aware of the use of these maize and to inform the consent holder in case of potential occurrence of any unanticipated adverse effects to health or the environment, which they might attribute to the import or use of these products. Appropriate technical information on MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations will be provided to them.

Where there is scientifically valid evidence of a potential adverse effect (whether direct or indirect), linked to the genetic modification, then further evaluation of the consequence of that effect should be science-based and compared with available baseline information. Relevant baseline information will reflect prevalent use practices and the associated impact of these practices on the environment. Where scientific evaluation of the observation confirms the possibility of an unanticipated adverse effect, this would be investigated further to establish a correlation, if present, between the use of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 and/or its sub-combinations and the observed effect. The

evaluation should consider the consequence of the observed effect and remedial action, if necessary, should be proportionate to the significance of the observed effect.

(e) **Reporting the results of monitoring**

In accordance with Regulation (EC) No 1829/2003, the authorisation holder is responsible to inform the European Commission of the results of the general surveillance.

If information that confirms an adverse effect of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and/or its sub-combinations and that alters the existing risk assessment becomes available, the authorisation holder will immediately investigate and inform the European Commission. The authorisation holder, in collaboration with the European Commission and based on a scientific evaluation of the potential consequences of the observed adverse effect, will define and implement management measures to protect human and animal health or the environment, as necessary. It is important that the remedial action is proportionate to the significance of the confirmed effect.

The authorisation holder will submit an annual monitoring report including results of the general surveillance in accordance with the conditions of the authorisation. The report will contain information on unanticipated adverse effects, if any, that have arisen from handling and use of viable MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations independently of their origin.

The report will include a scientific evaluation of the confirmed adverse effect, a conclusion of the safety of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations and, as appropriate, the measures that were taken to ensure the safety of human and animal health or the environment.

The report will also clearly state which parts of the provided information are considered confidential, together with a verifiable justification for confidentiality in accordance with Article 30 of Regulation (EC) No 1829/2003. Confidential parts of such report shall be submitted in separate documents.

13. DETECTION AND EVENT-SPECIFIC IDENTIFICATION TECHNIQUES FOR THE GENETICALLY MODIFIED PLANT

As MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 is produced by crossing maize plants containing MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419 using traditional breeding methods, it contains their respective inserts in combination. Therefore, MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 is detectable using either the event-specific PCR method for detecting the introduced DNA present in MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419. However, as for all plants in which one or more events are combined by traditional breeding, the unambiguous detection of MON 87427 × MON 89034 × MON 810 × MIR162 × MON 87411 × MON 87419 in mixed consignments of seed will require single maize seeds to be subjected to detection methods for MON 87427, MON 89034, MON 810, MIR162, MON 87411 and MON 87419 and to test positive for all.

14. INFORMATION RELATING TO PREVIOUS RELEASES OF THE GENETICALLY MODIFIED PLANT (FOR ENVIRONMENTAL SAFETY ASPECTS)

14.1. History of previous releases of the genetically modified plant notified under Part B of Directive 2001/18/EC or under Part B of Directive 90/220/EEC by the same notifier

(a) Notification number

There is no history of release of MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 in the EU.

(b) Conclusions of post-release monitoring

Not applicable

(c) Results of the release in respect to any risk to human health and the environment, submitted to the competent authority according to Article 10 of Directive 2001/18/EC)

Not applicable

14.2. History of previous releases of the genetically modified plant carried out outside the Union by the same notifier

(a) Release country

MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 has been field tested in the US and Argentina since 2016.

(b) Authority overseeing the release

US: United States Department of Agriculture (USDA)

Argentina: Secretary of Agriculture, livestock, fishery and feed (SAGPyA) - National Advisory Commission on Agricultural Biotechnology (CONABIA)

(c) Release site

US/Argentina: In major maize growing regions.

(d) Aim of the release

US: regulatory, efficacy, yield, breeding, product development and demonstration trials.

Argentina: regulatory, efficacy, yield, breeding and product development trials.

(e) **Duration of the release**

US/Argentina: one growing season.

(f) Aim of post-releases monitoring

US/Argentina: Assessment of volunteers.

(g) Duration of post-releases monitoring

U.S./Argentina: 12 months.

(h) Conclusions of post-release monitoring

US/Argentina: In general, no volunteers have been observed since maize is an annual crop. If volunteers occur, practice is to eliminate them manually or chemically to prevent occurrence in subsequent crops.

(i) Results of the release with respect to any risk to human health and the environment

Field-testing provided no evidence that MON 87427 \times MON 89034 \times MON 810 \times MIR162 \times MON 87411 \times MON 87419 and its sub-combinations or derived products would be the cause of any adverse effects to human health or to the environment.

References

EFSA, 2010a. Guidance on the environmental risk assessment of genetically modified plants. The EFSA Journal, 8(11):1879, 1-111.

EFSA, 2010b. Scientific Opinion on Statistical considerations for the safety evaluation of GMOs. . The EFSA Journal (2010), 1250, 1-59.

EFSA, 2011a. Guidance for risk assessment of food and feed from genetically modified plants. EFSA Panel on Genetically Modified Organisms (GMO). EFSA Journal, 9(5):2150, 1-37.

EFSA, 2011b. Guidance on the post-market environmental monitoring (PMEM) of genetically modified plants. The EFSA Journal, 9 (8):2316, 1-40.

EFSA, 2016. Relevance of new scientific evidence on the occurrence of teosinte in maize fields in Spain and France for previous environmental risk assessment conclusions and risk management recommendations on the cultivation of maize events MON810, Bt11, 1507 and GA21. The EFSA Journal, 1-13.

OECD, 2002. Consensus document on compositional considerations for new varieties of maize (*Zea mays*): key food and feed nutrients, anti-nutrients and secondary plant metabolites. Organization of European Cooperation and Development, Series on the Safety of Novel Foods and Feeds, OECD ENV/JM/MONO (2002) 25, 1-42.